

2023 Product Catalogue

Setting new
standards of
reliability

DYNAMICTM
DOOR SERVICE



Garage Doors | Openers | Service

4 STEP
Shopping Guide
Inside Page 44

4-5	Why choose DYNAMIC DOOR SERVICE
6-7	powermesh Garage Door Controller
8-15	The Custom Collection
10-11	Insert Panel Aluminium Frame Selection
12-14	Face Fixed Aluminium Frame Selection
15	Flush Mount Selection
16-17	Colorbond Sectional Doors
18-19	Colorbond Roller Doors
20-21	UniCote ^{LUX} Sectional Doors
22-23	UniCote ^{LUX} Roller Doors
24-25	Matt Doors
26-27	Savannah Sectional Doors
28-29	Tilt Doors
30-31	Louvre Doors
32-41	The Timber Look Series
34-35	DECO WOOD Timber Selection
36-37	Colorbond Timber Selection
38-39	UniCote ^{LUX} Timbers of the World Series
40-41	Natural Timber Selection
40-41	Wind Rated Doors
42-52	Colour Room Guide
54-55	The Dynamic Story

Follow our **4 step** Colour Room Guide for all your standard and non-standard options:



Step One:

45 Select your Door



Step Two:

46 Create your Design



Step Three:

48 Select your Colour



Step Four:

51 Select your Opener and Home Enhancer's

Icon Guide:



Sectional Door



Aluminium Frame Door



Roller Door



Tilt Door



Online Visualiser

Make your choice easier by taking a photo of your own home, then select, design and colour match your perfect garage door with our online visualiser. It's easy and fun. dynamicds.com.au



Scan Me



6 reasons to choose Dynamic



Opposite: Custom Collection Face Fixed Aluminium Frame Garage Door with white aluminium composite panels.



See which door suits your home with our online visualiser: dynamicds.com.au



Scan Me



Strong and durable, our garage doors are made in Australia for the harsh Australian conditions.



Dynamic supports Australian jobs which is why our garage doors are predominately made with the highest quality Australian BlueScope® steel.

trusted for
15
years

Dynamic disrupted the industry with its short lead times, product and service. Dynamic have been trusted by the best in the business for over 15 years.




Award-winning FingerProof™ Safety design is a standard feature for our Steel-Line sectional doors.



Every garage door is custom made and manufactured to your requirements. It's one of the reasons the majority of Australia's major builders choose our Steel-Line garage doors.



Dynamic offers a full range of Steel-Line accessories to suit your personal needs. View our range from page 51.



Dynamic Door Service is a leading garage door company specialising in quality garage doors uniquely designed and manufactured to add real value to every home. We have been installing and servicing garage doors and operators for over 15 years.

We are the largest supplier of Steel-Line Garage Doors in Australia. Our manufacturers have been selected on their capacity to meet and exceed our requirements for superior craftsmanship, reliability and a single-minded focus on excellence in customer service.

Browse our stunning product range and be inspired!

Above: Custom Collection Aluminium Composite Panels in Dark Grey



Introducing the Powermesh Garage Door Controller

Door Controller & Sensor

Zimi Cloud Connect



Control your door like never before.

Touch
Simple control of your devices with touch.

Tap
Full control anywhere with Zimi on your smart device.

Talk
Voice control for the ultimate hands-free convenience.



zimi

The app to control it all.

The Powermesh Garage Door Controller gives you complete control in the palm of your hand. Enjoy the convenience of connecting your garage today and expand control for everything else tomorrow.



Learn more about the Zimi ecosystem. www.zimi.life



SCAN HERE

Watch a video on why the Powermesh Garage Door controller will make your life easier.



Any Garage Door

Controls 1 or 2 garage doors in any home.



Voice Control

Hands-free control by simply speaking.



Anywhere Access

Extend your reach to anywhere in the world with Zimi Connect.



Existing Motors

Works with your existing system.



Flight Path Technology

Open your door to different heights.



Temp & Humidity

Monitor the climate inside your garage.



Hey Google, open my garage door.



The garage door is now open.



Know when family arrive or leave.

simply safer



Share access with friends and guests.



Never forget to close the door.



Please see dynamics.com.au to keep up to date on the most recent news on the Powermesh Range.



The Custom Collection

Your garage door could be the biggest design feature on your home's exterior, so make sure it's also the most striking. There's a Steel-Line product to suit all designs and architectural styles.

Steel-Line's innovative Custom Collection of garage doors offers over a hundred different options for you to choose from.

Let your imagination run wild with our Face Fixed, Insert Panel and Flush Mount selections. Simply match your garage door to the facade of your home and the style that will best suit your aesthetic.



Scan Me
to see a video of
this door.

You create it, we make it.

Above: Custom Collection Insert Panel Aluminium Frame Garage Door with opal acrylic inserts.

Insert Panel Aluminium Frame Selection

Our Steel-Line aluminium frame doors offer a stunning range of stylish FingerProof™ garage doors. You can choose from a wide selection of composite inserts or any compatible custom material to match with your design. Create the look that you want to customise your building to suit your surroundings.


Opposite: Custom Collection Insert Panel Aluminium Frame Garage Door in Night Sky and aluminium composite inserts in Dark Grey.




FingerProof™ Safety Feature



Configurations




1 FULL PANEL ACROSS




2 EQUAL HALVES



3 EQUAL THIRDS



QUARTER - HALF - QUARTER



4 EQUAL SECTIONS



5 EQUAL FIFTHS

Standard Frame Colours



Note: Refer to page 50 to view our secondary Colorbond® Colours

Standard Insert Panel Options

| Polycarbonate Multiwall



| Aluminium Composite Panel



| Matt Finish



| Acrylic



| Other



NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.




Face Fixed Aluminium Frame Selection

The face fixed design is laying the aluminium composite panels over the frame for that architectural look. The aluminium composite panels are the premier choice for an exterior cladding that will maximize the beauty of the structure while providing a sustainable product to prolong the life of the building.


Despite being conveniently lightweight, these aluminium composite panels certainly aren't pushovers. They have impressive durability and strength, making them well suited to bearing the tough conditions of the Australian climate. Our face fixed design is lightweight, weather-resistant, has a maximum wind rating of C3 for wind regions C and D in Australia.

Opposite: Custom Collection Face Fixed Aluminium Frame Garage Door with aluminium composite panel in Metallic Silver.


Configurations




1 FULL PANEL ACROSS




2 EQUAL HALVES




3 EQUAL THIRDS



QUARTER - HALF - QUARTER



4 EQUAL SECTIONS



5 EQUAL FIFTHS

Standard Frame Colours

Manor Red [®]	Jasper [®]	Paperbark [®]	Classic Cream [™]	Evening Haze [®]	Dune [®]	Shale Grey [™]	Surfmist [®]
Dover White [™]	Southerly [®]	Bluegum [®]	Windspray [®]	Wallaby [™]	Gully [™]	Basalt [™]	Ironstone [®]
Pale Eucalypt [®]	Cottage Green [®]	Woodland Grey [®]	Deep Ocean [®]	Monument [®]	Night Sky [®]	Silver Kinetic Pearl [®]	Citi Pearl

Note: Refer to page 50 to view our secondary Colorbond[®] Colours

Standard Face Fixed Options

| Aluminium Composite Panel



| Matt Finish



| Other



Western Red Cedar Western Red Cedar Barn Style Aluminium Battens Decowood Battens Decowood Battens

NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.



Custom Collection Sectional Door in Barn Style Western Red Cedar.



Scan Me
to see a video of
this door.

Custom Collection Sectional Flush Mount Door with vertical clad western red cedar.

Flush Mount Selection

Steel-Line's flush mount garage door blends in your facade with the cladding of your choice to create a seamless appearance to the front of your home. Flush finish means the surface of the garage door and the external wall surrounding it are on the same plane.

The flush mount garage doors are suitable to take a total weight of up to 175kg for tilt doors, and 250kg for sectional doors. They can be clad with the building's exterior materials, including timbers, composite timbers, metal, aluminium composite panel and acrylic. The integrated cladding materials make the door appear to be part of the building's wall system. Our flush mount doors are perfect for an architecturally designed building giving the exterior cladding a continuous look and essentially making the door invisible.

NOTE: All flush mount garage doors are made to order. Select a cladding material from our range or order as frame only and get your builder to clad on site to match the rest of your façade for that invisible look.





Flatline Sectional Garage Door in Colorbond® Surfmist®

Colorbond® Sectional Doors


Enhance the exterior of your home with a garage door that will compliment any style of architecture. Our Steel-Line range of garage door styles to suit the unique characteristics of your home.

Sectional garage doors have exceptional weather-resistant qualities. They are resilient against normal wind and dust conditions and come with heavy duty aluminium bottom rails containing PVC weather seals, so you can trust that the precious contents of your garage are protected at all times.




Fingerproof safety standard.

Profile Options



Window Options



NOTE: Garage door windows are not suitable for cyclonic areas.

Colour Options


| Colorbond® Standard Colours



| Colorbond® Matt Range



| Timber Selection*



NOTE: Woodgrain finish is standard for standard colour, timber selection sectional doors. * Smooth finish is not available. Refer to page 50 to view our secondary Colorbond® Colours

Series

"A" series residential door
(Range from 750mm to 3430mm in width)

"AA" series residential door*
(Range from 3435mm to 5500mm in width)

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"AA" Series Door Heights
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"B" series light industrial door*
(Range from 2855mm to 5500mm in width)

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm

* Now supplied with Aluminium guides as standard

Colour Options

Colorbond® Standard Colours

Manor Red®	Jasper®	Paperbark®	Classic Cream™	Evening Haze®
Dune®	Shale Grey™	Surfmist®	Dover White™	Southerly®
Bluegum®	Windspray®	Wallaby™	Gully™	Basalt™
Ironstone®	Pale Eucalypt®	Cottage Green®	Woodland Grey®	Deep Ocean®
		Other		
Monument®	Night Sky®			Zincalume®

Colorbond® Matt Range

Basalt™	Bluegum®	Monument®

NOTE: * Non-standard colours at non-standard pricing. Refer to page 50 to view our secondary Colorbond® Colours



Colorbond® Roller Doors

Our range of Colorbond® colours and smooth operation, Steel-Line garage roller doors become true design features of your home.

Manufactured with heavy duty bottom rails containing durable PVC weather seals, a Steel-Line garage roller door provides your precious garage contents with excellent protection from the harsh elements.

Our Steel-Line roller doors revolve on precision-made drum wheels, and are counter-balanced using helical coil springs to ensure perfect balance and operation. All our springs are heat treated and tempered to give years of trouble free operation.

"AA" series residential door and "B" series light industrial doors are now supplied with Aluminium guides as standard.

Aluminium guide benefits include:

- Lightweight
- Aesthetically appealing
- Smooth and quiet operation
- Effortless installation

The new Aluminium guide can be fitted with an optional brush seal, adding a level of protection against smoke, draughts, salt, light, dust, insects and bushfire embers.

Opposite: Roller Door in Colorbond® Monument®.

Roller doors offer a combination of strength and functionality.




Roller Door	Custom fit	Ventilation options

UniCote® LUX Sectional Doors

UniCote® LUX is an imported pre-painted steel product designed to suit Australian high-end architecture. Drawing inspiration from around the world, feel inspired by the range of unique patterns and finishes available in this range.

UniCote® LUX is the future of Australian pre-painted steel design. The range is manufactured and tested to meet all weather conditions, resistant to chipping, peeling or cracking. UniCote® LUX doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

Profile Options




Slimline

Flatline

Glacier

Colour Options

| Architectural Series




NOTE:

* Available in smooth or textured finish only. Please see product samples.

* Available while stocks last

| Timbers of the World Series



NOTE:

The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.

Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.





UniCote® LUX Roller Doors

The UniCote® LUX Roller Doors are made from an imported pre-painted steel product designed to suit Australian high-end architecture. Combining the world's best coil coating technology with rigorous testing to Australian standards, it meets all weather conditions, resistant to chipping, peeling or cracking.

"AA" series residential door and "B" series light industrial doors are now supplied with Aluminium guides as standard.

Aluminium guide benefits include:

- Lightweight
- Aesthetically appealing
- Smooth and quiet operation
- Effortless installation

The new Aluminium guide can be fitted with an optional brush seal, adding a level of protection against smoke, draughts, salt, light, dust, insects and bushfire embers.

Opposite: Roller Door in UniCote LUX® Ashwood.

Colour Options

| Timbers of the World Series



Ashwood



Brazilian Walnut



African Blackwood

| Architectural Series



Weathered Iron

Series

"A" series residential door

(Range from 750mm to 3430mm in width)

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"AA" series residential door*

(Range from 3435mm to 5500mm in width)

"AA" Series Door Heights
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"B" series light industrial door*

(Range from 2855mm to 5500mm in width)

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.
- Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.

* Now supplied with Aluminium guides as standard



Roller Door



Low maintenance



Strong and durable


Matt Doors

The Matt look garage door is made from BlueScope® steel, which allows you to make stylish and defining design choices for your home.

Choose from six colours: Surfmist®, Bluegum®, Shale Grey™, Dune®, Basalt®, and Monument® to make your design statement.

Opposite: Flatline Sectional Garage Door in Monument® matt look.


Sectional Profile Options



Slimline

Flatline

Glacier



Ranch

Heritage

Note: Also available in a roller door.

Colorbond® Colour Options



Surfmist® *

Basalt™ **

Monument® **



Bluegum® **

Other Colour Options



Dune® *

Shale Grey™ *

Note: * Available in Colorbond® Sectional Door
 * Available in Colorbond® Roller Door


Matt Doors give your project a more subtle look.



Savannah Sectional Doors

Stylish, strong and durable. Steel-Line's innovative Savannah smooth and powder coat custom sectional door range are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

Profile Options



Colour Options



| Matt Range



| Colorbond Classic



Note: Refer to page 50 to view our secondary Colorbond® Colours



More than 70 Dulux colours also available for sectional doors only. Please inquire about availability.

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.
- Maximum width 5600mm.

Tilt Doors

Not enough room in your garage for a sectional or roller door? A lot of older garages can be quite limited in space.

Our Steel-Line tilt garage doors offer the perfect solution for smaller garages or spaces with restricted side or head room. Manufactured to fit most garage openings and easily installed, the tilt garage door offers safety and convenience in a wide range of colours and materials.

The choices of material is almost as varied as your imagination allows and commonly includes plywood and moulding, K-panel, Colorbond®, Western Red Cedar, aluminium composite panels, copper sheeting, clear or textured glass/acrylic, and many other types of cladding.

NOTE: Not all options available in all markets. Please refer to your Product Consultant for our wide variety of design options in your area.

Not available in WA.

Best solution when you have limited headroom in your garage.





Louvre Doors

Our Steel-Line aluminium Louvre sectional garage door has been developed to give a high level of airflow and natural light transmission.

Steel-Line sets a new benchmark for Louvre garage doors. Designed and manufactured in Australia, our Louvre garage door is extremely strong with a modern architectural look. It's ability to provide privacy for what is inside and still allow a minimum 22% ventilation, makes this the door of choice for many modern developments.

Steel-Line Louvre garage doors have been engineered to the highest standard and tested at the JCU Cyclone Testing Station against the wind loading requirements of AS/NZS 4505-2012 (also available for C2 & C3).



Louvre Garage Door in Dulux Classic Pearl White Gloss colour.

Colour Options



Note: Refer to page 50 to view our secondary Colorbond[®] Colours



Louvre garage doors provide security you can trust, allowing ventilation while maintaining high level of privacy.

The Timber Look Series

Your garage door is often the largest and most prominent frontal feature of your home. For this reason, choosing the right garage door is a crucial decision that can significantly influence the value and aesthetics of your most prized asset.

If you like the natural look and warmth that wood conveys, we can offer you Natural Timber, DecoWood®, Colorbond® and UniCote® LUX Timbers of the World.

Each offering has different benefits depending on your requirements, while providing the warm and homely charm that a timber look provides.

Our impressive assortment of beautifully crafted options offers a classic and timeless style that evokes a feeling of tradition with a modern twist.



The above is one of our Natural Timber Garage Doors with V joint profile.

You dream it, we create it.




Timber Selection

The DecoWood® garage door is ideal for coastal properties and bushfire prone areas with its marine grade powder coating. It is made from BlueScope® steel, which is an incredibly versatile material, preferred by builders and designers alike for its strength, durability, flexibility, lightness and corrosion-resistance.

Unlike timber, DecoWood® garage doors don't warp, shrink, splinter or rot. They require little maintenance, and they are also completely impervious to termites.


Profile Options



Slimline

Flatline


Glacier



Ranch

Heritage

Colour Options



American Oak

Weathered Timber

Silky Oak



Casuarina

Kwila

Chestnut



Bush Cherry

Ironbark

Western Red Cedar



Jarrah

Merbau

Wenge

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.



Scan Me
to see a video of
this door.



Colorbond®

Timber Selection

Steel-Line's Colorbond® Timber Selection offers the strength of a Colorbond® steel door with the style of the Colorbond® colours.

A garage door made from Colorbond® steel will also give you lifelong performance. Thanks to the five-layer design of Colorbond® steel, it provides corrosion resistance and a durable baked on paint finish, making it look great and easy to maintain.


With the Colorbond® Timber colours, Colorbond® steel provides an elegant twist providing even greater design opportunities for your home.

Compliments your home and gives your garage door a natural, timber look finish without the price tag.




Slimline Sectional Garage Door in Classic Cedar®.


Profile Options




Slimline




Flatline



Glacier



Ranch



Heritage

Colorbond® Colour Options



Classic Cedar®



Blushed Teak™



Caoba®



Ashen Black Oak™

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.

UniCote® LUX

Timbers of the World Series

The UniCote® LUX - Timbers of the World Series draws inspiration from all over the globe bringing the look and feel of the forest to your front door.


Drawing inspiration from around the world, UniCote® LUX offers a range of timber finishes to suit your next project. With the strength of steel, UniCote® LUX products are manufactured and tested to meet all weather conditions to offer you a long lasting product and peace of mind.

UniCote® LUX paint systems are proven to provide resistance to chipping, peeling or cracking, offering excellent colour and gloss retention. UniCote® LUX doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.



Slimline Sectional Garage Door in Ashwood.

Profile Options



Slimline

Flatline

Glacier

Colour Options



Brazilian Walnut

Ashwood

Gympie Messmate

Red Oak

Kapur

African Blackwood

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.
- Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.



Natural Timber Selection

Stand out from the crowd with a door as unique as you.

As our timber garage doors are custom designed and manufactured, you can rest assured we will create a product to meet your dimensions and requirements. No matter what shape or size your garage is, a timber door can be made to suit it - and it will look fantastic.

And because this range is custom-built using natural products, you can look forward to having a truly one-of-a-kind garage door that has its own unique look and character.

The most popular timber used in this range is Western Red Cedar, a lightweight yet solid timber that looks equally beautiful on a renovated or new home being built.

Profile Options



V joint



Shiplap

Colour Options



Natural/No Stain



Pine



Light Oak



Teak



Dark Oak



Walnut



Aluminium Frame Door



Tilt Door



One of a kind




Wind rated Slimline Sectional Garage Door in Colorbond® Surfmist

Wind Rated Doors

Stringently tested to meet wind load requirements.

Steel-Line wind rated garage doors have been engineered to the highest standard and tested against the wind loading requirements of AS/NZS 4505:2012.



Strut-Lock™ Wind Rated Sectional Garage Doors

The Strut-Lock door is post free, incorporating the use of heavy duty struts, robust commercial hinges, top brackets in combination with a unique stile reinforcement to provide maximum resistance to forces exerted by cyclonic and high winds up to 5.5m (also available for C2 & up to N4).

Wind Rated Wind Brace Sectional Garage Doors

The Wind Brace design feature with removable steel wind brace post(s) is installed to the sectional garage door once a cyclone warning is received. It takes about 2-5 minutes to install, and no tools are required. This feature can significantly enhance wind resistance up to C4 wind rating while still ensuring a smooth door operation (also available up to 6m for C2, C3, C4 & up to N6).

Wind Rated Roller Doors

The wind rated roller doors are designed to provide additional wind resistance in extreme weather conditions. The new Wind Rated roller doors have been designed to reduce noise and increase service life. Optimised to suit your requirements, the Wind Rated roller doors are suitable for homes, sheds, commercial and industrial warehouses in cyclonic and non-cyclonic areas (C2/N4 up to 5.5m).



*not all doors compatible. Please refer to our wind rated brochures for each door type.



STEP ONE: SELECT A DOOR

Using the icon guide at the bottom of each page, select your door type.



COLOUR ROOM GUIDE DESIGN YOUR DOOR



Select a door



Create your design



Select a colour



Select your opener and home enhancer's



SECTIONAL GARAGE DOORS

Make a bold impression with the attractive range of Steel-Line sectional garage doors. Enhance the exterior of your home with a garage door that will complement any style of architecture with a range of door styles and colours to suit the unique characteristics of your home.



ROLLER DOORS

Easy to use and long lasting, our roller doors can be made to suit almost any size opening. Combine this with a range of Colorbond® colours and smooth operation, they become true design features of your home.



ALUMINIUM FRAME DOORS

Steel-Line's innovative Custom Collection range of garage doors offers over a hundred different garage doors for you to choose from. You simply look at the façade of your home and decide what style would best suit from our wide range of options.



TILT GARAGE DOORS

Is there a particular style or feature that you have not seen in the huge range of Steel-Line garage doors? You may have a specific design feature, profile, colour, style or material in mind, or some physical requirements which a standard garage door cannot satisfy. A tilt or custom timber door could be your answer.




STEP TWO: CREATE YOUR DESIGN

Depending on the door type, now select a profile and/or series.


SECTIONAL GARAGE DOORS

| SELECT A PROFILE AND FINISH TYPE



TF: Textured finish. SF: Smooth finish (Savannah). # Windows can only be fitted to Ranch or Heritage designs in standard Colorbond® colours.
* Smooth finish (Savannah) is available in the Smooth and Powdercoat range at premium pricing.

| ADD WINDOWS



ROLLER DOORS

| SELECT A SERIES

"A" series residential door
(Range from 750mm to 3430mm in width)

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"AA" series residential door*
(Range from 3435mm to 5500mm in width)

"AA" Series Door Heights
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

* Now supplied with Aluminium guides as standard


"B" series light industrial door*
(Range from 2855mm to 5500mm in width)

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm


ALUMINIUM FRAME DOORS

| SELECT A PROFILE

Aluminium Framed Insert Series




1 FULL PANEL ACROSS



2 EQUAL HALVES




3 EQUAL THIRDS



QUARTER - HALF - QUARTER




4 EQUAL SECTIONS




5 EQUAL FIFTHS


Aluminium Face Fixed Series




1 FULL PANEL ACROSS




2 EQUAL HALVES




3 EQUAL THIRDS



QUARTER - HALF - QUARTER




4 EQUAL SECTIONS



5 EQUAL FIFTHS

Louvre Door



Natural Timber Door Profile



V JOINT



SHIPLAP

NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. The maximum width of the "1 section" door is 2400mm, if the inserts are aluminium composite panels, acrylic, Western Red Cedar or aluminium treadplate. The maximum width of the "2 sections" aluminium composite door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.

TILT GARAGE DOORS

Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:


- Plywood and Moulding
- Western Red Cedar
- Aluminium Composite Cladding
- Copper Sheeting
- K-Panel
- Colorbond®
- and much more




STEP THREE: SELECT A COLOUR

Select the colour to suit your look based on your door type.


SECTIONAL GARAGE DOORS



Timber Selection



UniCote^{LUX}



Colorbond Classic



ROLLER DOORS



Colorbond Colours



UniCote^{LUX}




ALUMINIUM FRAME DOORS



Frame Colours




Aluminium Framed Insert Options



Aluminium Face Fixed Options



Natural Timber Door



Colorbond® Secondary Colours



* Secondary colours are available in Sectional doors, Roller doors and Custom Collection Garage door range.

TILT GARAGE DOORS



Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:

- Plywood and Moulding
- Western Red Cedar
- Aluminium Composite Cladding
- Copper Sheeting
- K-Panel
- Colorbond®
- and much more

NOTE:

- The colours and patterns shown in are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.



Custom Collection Aluminium Frame Garage Door in Colorbond® Night Sky® with Dark Grey tinted acrylic inserts.



STEP FOUR: SELECT AN OPENER AND HOME ENHANCER

For new products and the most up to date information, please check Dynamicds.com.au

OPENERS

| SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS



SD800 Sectional Door Opener # Builders Choice



- Max garage door size: 12m²
- Max door weight: 110Kg
- Max peak pulling force: 800N
- 2 x four channel key ring transmitters, 1 x wireless wall transmitter
- Inbuilt service reminder
- 5 year motor warranty (2 year electronics)

SD1200 Sectional Door Opener # Builders Choice



- Max garage door size: 18.5m²
- Max door weight: 240Kg
- Max peak pulling force: 1200N
- 2 x four channel key ring transmitters, 1 x wireless wall transmitter
- Inbuilt service reminder
- 5 year motor warranty (2 year electronics)

| Merlin SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS

Commander Elite



- Max garage door size: 20m²
- Max door weight: 150Kg
- Max peak pulling force: 1000N
- 2 x premium remotes, 1 x two button wireless wall transmitter
- MYQ compatible
- 7 year warranty

Commander Extreme



- Max garage door size: 20m²
- Max door weight: 150/286Kg *
- Max peak pulling force: 1200N
- 2 x premium remotes, 1 x two button wireless wall transmitter
- MYQ compatible
- 7 year warranty

Note: *When IR beams are installed.

Commander Ultimate



- Max garage door size: 16.5m²
- Max door weight: 280Kg
- Max peak pulling force: 600N
- 2 x premium remotes, MYQ remote LED light, safety IR beams, smart control panel, automatic door lock, cable extension motor, integrated battery backup
- MYQ compatible
- 7 year warranty

Note: # Not suitable for Tilt Doors.

| ROLLER DOORS



RD800 Roller Door Opener Builders Choice



- Max garage door size: 18m²
- Max peak pulling force: 800N
- 1 x powerhead, 2 x three channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 5 year motor warranty (2 year electronics)



RD1200 Roller Door Opener Builders Choice



- Max garage door size: 25m² (18m² for wind rated doors)
- Max peak pulling force: 1200N
- 1 x powerhead, 2 x three channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 2 year motor warranty (2 year electronics)

| Merlin ROLLER DOOR

WeatherDrive



- Max garage door size: 15m²
- Max door weight: 100Kg
- Max peak pulling force: 500N
- 2 x premium remote controls, 1 x wireless wall transmitter, 1 x weight bar
- Weather resistant (IP34 rated housing)
- 3 year warranty

SilentDrive Essential



- Max garage door size: 16.5m²
- Max door weight: 100Kg
- Max peak pulling force: 500N
- 2 x premium remotes, 1 x two button wireless wall transmitter, 1 x weight bar
- 5 year warranty

SilentDrive Elite



- Max garage door size: 18m²
- Max door weight: 120Kg
- Max peak pulling force: 550N
- 2 x premium remotes, 1 x two button wireless wall transmitter, 1 x weight bar
- 7 year warranty

Grifco LR Drive



- Max garage door size: 28m² / wind locked 22m²
- Max door weight: 270Kg
- Max peak pulling force: 1300N
- 1 x battery backup unit, 2 x E960G 4 channel keyring transmitters, 1 x E138G wireless wall transmitter
- 2 year, 10000 cycle warranty

HOME ENHANCERS

Coastal Upgrade Pack

Sectional Door Upgrade Pack includes Brush Seals, Powdercoated tracks and brackets and stainless steel cables.

Roller Door Upgrade Pack includes Brush Seals, AA Aluminium tracks with the no lock option.

The Coastal Upgrade Packs for both Sectional Doors and Roller Doors are recommended for all doors that are located within 5 kilometres from the sea to offer enhanced protection against the elements.

Photo Electric Beams



The Photo Electric Beam is designed to detect an obstruction while the door is closing and to send a signal to the opener to reverse or stop the door movement. It helps to protect your family from injury and your car from the damage caused by contact.

Wireless Keypad



The keypad can be programmed with multiple, unique user codes. It is perfect for the family, trades people, or even just going for a walk. This means you can leave your keys at home and still access your garage.

Additional Handsets



Key ring remote transmitters are small and convenient with the ability to operate up to four doors or gates from the one unit. A must have for every set of keys in the house.

Brush Seal



A tough and durable brush seal can help better protect your garage from the elements and satisfies the "Construction of buildings in bushfire-prone areas" standard AS3959:2018 for protecting against fire embers entering the garage.



Powermesh products work with the Zimi home ecosystem. Make your life easier and get connected today. www.zimi.life

Control your garage door anytime, anywhere with the Powermesh home automation system. For more information see page 6-7.

For the latest news and updates see dynamicds.com.au.

Battery Backup



A battery backup provides an energy supply in the event of a power cut.

Available for SD800, SD1200, RD800 and RD1200 motors, as well as the Marantec Comfort 380.

Emergency Key Release



Used in case of malfunction or power failure, especially useful if there is no other access to the garage.

Wireless Wall Mounted Remote



Can be installed near an internal access door to your garage giving you greater convenience to open and close your garage door.

Garage Door Insulation



Steel-Line garage door insulation minimises the effects of the harsh Australian climate, by reducing heat loss and heat gain transferring through the door panel.



Cut energy costs

Automatic locking system for your Garage Door.

Automatic Garage Door Deadbolt SD by Steel-Line

The Automatic Garage Door Deadbolt by Steel-Line provides convenience when it comes to entering and exiting your garage. With just the push of a button, you can open, close and lock your garage door with ease, saving you time and effort.

How it works?

The Automatic Garage Door Deadbolt by Steel-Line has been designed using advanced technology and will automatically engage when you close your door using your remote control.

The locking pin extends when the door reaches the closed position.

When opening, the locking pin will automatically retract, disengaging the deadbolt and allowing the door to raise to position.

Features



Set and forget. No regular charging or battery changing requirement



High quality, slim, attractive aesthetic enhances its sophisticated design



Effortless installation and integration with the Steel-Line SD motor range, with Marantec option available



Simple disengagement in the event of power failure



Engineered with the latest electronic technology

NOTE: Compatible with double or single sectional garage doors.

Defy the odds...

show them what's possible.

Our story.

"We were the ones that showed them it was possible." - Michael

From humble beginnings, Dynamic Door Service has become the leading supplier of garage doors to the Australian builder market. Dynamic's success has come from the ability to seize opportunity and follow through on their commitments each and every time.

In 2009, Brisbane based founder Michael Vidler saw a gap in the garage door market. The industry "norm" to get a garage door ordered and installed was two to three weeks... this is the way it had always been done.

Mick knew that in an industry full of furious deadlines, this lead time put additional and unnecessary pressure on builders and set about disrupting the status quo, initially as a one-man band approaching builders at building sites.

The Dynamic solution was to provide a mechanism to consistently deliver the shortest lead times in the industry, guaranteed installation dates and, after some initial trial and error, to partner with Steel-Line Garage Doors to supply the best product on the market.

Whilst skeptical, a handful of small builders gave Mick an opportunity to prove his solution would work. Mick was a man of his word... he built an expert, energetic and passionate team who at their very core made sure they delivered on their commitments, time after time, year after year. It wasn't long before some of the major builders in Australia took notice, then some more, and the rest is history.

The Dynamic team are driven by opportunity with an energy that creates a new standard of reliability.

DEFY THE ODDS

DYNAMIC™ DOOR SERVICE

1300 645 056

sales@dynamicds.com.au

**QLD Office and National
Administration**

36 Redcliffe Gardens Drive,
Clontarf 4019

VIC Office

116 Barry Road,
Campbellfield VIC 3061

SA Office (ask for Dynamic)

65 Langford St,
Pooraka SA 5095

NSW Office

17 Bluett Drive,
Smeaton Grange NSW 2567

Newcastle Office

5 Pambalong Drive,
Mayfield West NSW 2304



dynamicds.com.au

DEFY
THE ODDS

Garage Doors | Openers | Service